

Bid Details				
Bid End Date/Time	11-01-2021 15:00:00			
Bid Opening Date/Time	11-01-2021 15:30:00			
Bid Life Cycle (From Publish Date)	90 (Days)			
Bid Offer Validity (From End Date)	60 (Days)			
Ministry/State Name	Ministry Of Information And Broadcasting			
Department Name	Na			
Organisation Name	Film And Television Institute Of India (ftii)			
Office Name	Pune			
Total Quantity	50			
Item Category	chairs-office (PAC Only)			
MSE Exemption for Years of Experience and Turnover	No			
Startup Exemption for Years of Experience and Turnover	No			
Document required from seller	OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
Bid to RA enabled	No			
Inspection Required	No			
Estimated Bid Value	400000			
Evaluation Method	Total value wise evaluation			
EMD Detail				
Required	No			
ePBG Detail				
Required	No			
Splitting	1			

MSE Purchase Preference

MSE Purchase Preference	Yes

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total QUANTITY.

Chairs-office (50 pieces) (Under PAC)

Make	godrejinterio	
Model	godrejinterioversaneovisitorchair	

Technical Specifications

* As per GeM Category Specification

Type of material (other then wood) used in Polythene cane Chair Material of Fabric Back Cover Thickness of Plywood used in Backrest IN MM (±1 mm) Frame Material Density of Polyurethane Foam Used in Seat ±2 (Kg/Cub M) Material of Fabric of Seat Cover Density of Polyurethane Foam Used in Backrest ±2(Kg/Cub M)	NOT APPLICABLE N.A N.A ERW pipe 45 Kg/Cub.M fabric N.A
Back Cover Thickness of Plywood used in Backrest IN MM (±1 mm) Frame Material Density of Polyurethane Foam Used in Seat ±2 (Kg/Cub M) Material of Fabric of Seat Cover Density of Polyurethane Foam Used in Backrest ±2(Kg/Cub M)	N.A ERW pipe 45 Kg/Cub.M fabric
used in Backrest IN MM (±1 mm) Frame Material Density of Polyurethane Foam Used in Seat ±2 (Kg/Cub M) Material of Fabric of Seat Cover Density of Polyurethane Foam Used in Backrest ±2(Kg/Cub M)	ERW pipe 45 Kg/Cub.M fabric
Density of Polyurethane Foam Used in Seat ±2 (Kg/Cub M) Material of Fabric of Seat Cover Density of Polyurethane Foam Used in Backrest ±2(Kg/Cub M)	45 Kg/Cub.M fabric
Foam Used in Seat ±2 (Kg/Cub M) Material of Fabric of Seat Cover Density of Polyurethane Foam Used in Backrest ±2(Kg/Cub M)	fabric
Seat Cover Density of Polyurethane Foam Used in Backrest ±2(Kg/Cub M)	
Foam Used in Backrest ±2(Kg/Cub M)	N.A
Thickness of Plywood used in Seat ±1(mm)	N.A
GSM/Thickness of Fabric ±5 (Gram per Sq Meter)	250 Gram per Sq Meter
Arm Material	Polypropelene on metal
Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 3 mm)	40 mm
Thickness of Polyurethane Foam Used in Seat IN MM (+/- 3 mm)	50 mm
Shoe Type	plastic
Chair Type	With Arms
	Polyurethane Foam Used in Backrest IN MM (+/- 3 mm) Thickness of Polyurethane Foam Used in Seat IN MM (+/- 3 mm) Shoe Type

	Type of Seat and Backrest	Padded with Polyurethane Foam	
	Frame Type	Cantilever	
	Castors	Without	
DIMENSION	Size of Material (mm)	2 mm thick 25 mm tube	
DIFICUSION	Chair Height ±15(mm)	1000 mm	
	Seat Depth ±10(mm)	450 mm	
	Seat Width ±10 (mm)	470 mm	
	Seat Height IN MM ±5(mm)	430	
	Backrest Width ±10(mm)	450 mm	
	Backrest Height ±10(mm)	600 mm	
	Arm Length ±5(mm)	200 mm	
	Arm Width ±2(mm)	50 mm	
COLOUR & FINISH	Colour of Fabric for Seat and Backrest	black	
	Paint Type	powder coated on MS	
	Colour of Paint	black	
CERTIFICATION	Polythene cane conforming to Type-1 of IS 5378 /1994	NA	
	Test reports to be furnished to buyer on demand	YES	
	BIFMA certification	NO	
	OEM of offered product is ISO 9001:2015 certified	YES	
	OEM of offered product is ISO 14001:2015 certified	YES	
	OEM of offered product is ISO 18001:2007 certified	YES	
WARRANTY	Warranty period in number of years	1	

* Specifications highlighted in bold are the Golden Parameters. * Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Vishwas Govind Nerlekar	411004,Law College Road	50	30

Bid Specific Additional Terms and Conditions

1.Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

This Bid is also governed by the General Terms and Conditions

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---