



Bid Document

Bid Details			
Bid End Date/Time	28-05-2021 15:00:00		
Bid Opening Date/Time	28-05-2021 15:30:00		
Bid Life Cycle (From Publish Date)	90 (Days)		
Bid Offer Validity (From End Date)	60 (Days)		
Ministry/State Name	Ministry Of Information And Broadcasting		
Department Name	Na		
Organisation Name	Film And Television Institute Of India (ftii)		
Office Name	Pune		
Total Quantity	20138		
Item Category	Video Recorder For Cctv System-IS 9000 , Camera for CCTV System , Line Intractive UPS with AVR , Professional Large Format Display , Small form-factor pluggable transceiver , Layer 2 Access Switch , Hard disk drives , Cables suitable for CCTV System (Accessories) , CAT 6 Cable for Outdoor , Power cable for direct burial xlpe ugac cable for DMRC , Networking/Server Rack , Fiber Optic Patch Panels, Rack Mountable , PLB-HDPE Duct for UG armoured Optical Fibre Cable , CAT 6 Patch Panel , Cat 6 Patch cord , Laying & Installation Charges for Cables (with or without conduit) Suitable for CCTV System(Accessor , Steel Tubes For Structural Purposes-IS:1161 , Desktop Computers , Installation & Commissioning charges for CCTV Cameras (Accessories)		
Minimum Average Annual Turnover of the Bidder	60 Lakh (s)		
Years of Past Experience required	2 Year (s)		
MSE Exemption for Years of Experience and Turnover	No		
Startup Exemption for Years of Experience and Turnover	No		
Document required from seller	Experience Criteria, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer		
Bid to RA enabled	No		
Primary product category Installation & Commissioning charges for CCTV Camera (Accessories)			
Time allowed for Technical Clarifications during technical evaluation	7 Days		

Bid Details		
Estimated Bid Value 14913863		
Evaluation Method Total value wise evaluation		

EMD Detail

Required	No

ePBG Detail

Advisory Bank	State Bank of India
ePBG Percentage(%)	3.00
Duration of ePBG required (Months).	14

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

Accounts Officer

Film and Television Institute of India Law College Road, Erandwane Pune, Maharashtra 411004 Phone-(020) 2558 0028/29 Ministry of Information and Broadcasting (Accounts Officer,ftii)

Splitting

Bid splitting not applied.

MII Purchase Preference

MII Purchase Preference	Yes	
-------------------------	-----	--

MSE Purchase Preference

MSE Purchase Preference	Yes	

- 1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 3. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum

local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

- 4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.
- 5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Video Recorder For Cctv System-IS 9000 (4 pieces)

(Minimum 0% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)	
VIDEO	Number of Video Input Channels	64	
	Number of Non-IP based Video input Channels for HVR	NA	
	Number of IP based Video input Channels for HVR	NA	
	Number of Video Output Channels	64	
	Recording Resolution	4K (3840 × 2160)	
	Supported Compression Technique	H.264, H.265, MPEG-4, MJPEG, H.265+, H.264+	
	Maximum Number of cameras to be viewed on a single display	64	
	Total number of simultaneous local views	4	

Specification	Specification Name	Bid Requirement (Allowed Values)
	Simultaneous Monitoring Connections for All Cameras (Users in Local Network for Client Connection)	16
	Recording Speed for all channels (fps)	25
	Minimum Through put (Mbps)	256
TYPE	Type of Recording Device	NVR
	IP Camera Support	Yes
	PTZ Camera control Support	Yes
	Housing construction	Alluminium
	Mounting	Wall Mounted
	Rack Mount configuration	NA
AUDIO	Audio Input	16
	Audio Output	4
	Audio Compression	G.726
	Minimum Number of Simultaneous Channels for Two-way Audio Support	NA
SECURITY	Type of Encryption	HTTPS (SSL/TSL), HTTP (SSL/TSL), WPA, WPA2, TKIP
ALARM	Alarm Support	Yes
	Alarm Input	1
	Alarm Output	1
	Video Content Analytics (VCA)	Crossing line, Digital Zoom 12X and more, Face Recognition, Intrusion Detection, Motion Detection, Number Plate Recognition, Object counting, Object Removal, Tampering, Text-IN, Trip-wire Detection, Video Loss
NETWORK	Operating System Supported	Windows, MAC, Linux
PROTOCOLS / INTERFACE / OPERATING SYSTEM	Supported Network Protocols	UDP, SNMP, IGMP, DHCP, RTP, RSTP, HTTP, HTTPS, DNS, DDNS, RTSP, RTCP, NTP, UPnP, SMTP, FTP, ICMP, QoS, TCP/IP, NA (for DVR)
	Supported Interface	Ethernet, Wifi, HDMI, VGA, CVBS, Bluetooth, USB, RS 232, RS-422, RS-485
	Physical Layer of Ethernet	10/100/1000 Base TX, NA, 10/100 Base TX
	Number of Ethernet Ports	1
	Number of HDMI Ports	1
	Number of VGA Ports	1
	Number of CVBS Ports	0
	Number of USB Ports	4

Specification	Specification Specification Name Bid Requirement (Allowed Values		
	Number of Serial Ports	0	
	Number of PoE Ports	16	
	Supported SIM Slot	NA	
Number of SIM Slots		0	
FEATURES	Video Loop Support	Yes	
	Video Recorder supports recording on NAS Directly	Yes	
	Remote Administration (Remote Configuration And Status Using Web Based Tool)	Yes	
	System Update (Remote System Update Over Network Using Web Client)	Yes	
	PC Client (PC Application Client With A Channel Recording Feature Support)	Yes	
	Recording schedule support	Yes	
	Camera Notification	E-mail, Spot (POP up Window) on Event	
	Network transmission Speed	Real time display @ D1 resolution	
PLAYBACK / VIEW / MANAGEMENT	Search	Date, Time, Event, Log, Motion, Bookmarks	
MANAGEMENT	Bookmarks	Forward, Backward, adjustable playback speed, Full Screen, Next Camera, Previous Camera, Repeat	
	Page preview	Electronic Map on two separate monitors, Multi Monitor Support, Video Window	
	Total Management	Delete, Group add, Group management	
	Camera	Add, Edit, Delete, Use Master account, Use Specific account	
STORAGE	Internal Hard Drive Interface	SATA I	
	Number of Hard Disks (inclusive in the scope of supply)	8	
	Storage Capacity of each Hard Disk (TB)	8	
	Total Storage Capacity(TB)	64	
	Internal Storage Expandable upto (TB)	64	
	Number of Hard Disks supported	8	
	Redundancy Option	RAID 5	
POWER SUPPLY	Power Input	230 ± 10%, 50Hz, 12 V DC, 24 V DC	

Specification	Specification Name	Bid Requirement (Allowed Values)
	Suitable Adapter to be Supplied to Make the Equipment Work on 230 V ± 10 %, 50 Hz	Yes
OPERATING CONDITIONS	Minimum Operating Temperature	-10.0
	Relative Humidity Non Condensing at 40 deg C	95.0
WARRANTY /	Warranty	2.0
SERVICES	Time for Replacement of Defective Product During Warranty Period	96.0
ENVIRONMENTAL / CERTIFICATION	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest	Yes
	Conformity to Cold test at Specified Minimum Operating Temperature for 4 hours as per IS: 9000 latest	Yes
	BIS Registration for safety general requirements as per IS: 13252 (Part 1): latest	Yes
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Archana Anant Dharmadhikari	411004,Law College Road	4	15

Camera For CCTV System (4 pieces)

(Minimum 0% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)
IMAGE SENSOR	Image Sensor Type	CMOS

Specification	Specification Name	Bid Requirement (Allowed Values)	
Image Sensor Size		1, 0.67, 0.5, 0.555, 0.526, 0.588, 0.544 Or higher	
	Camera Image Sensing capacity (Picture Mode)	4MP	
		4K HD (3840 X 2160 Pixel), D1 (704 x 480 Pixel), Full HD (1920 x 1080 Pixel), HD (1280 x 720 Pixel)	
	Day/Night Capable	Yes	
	IR illumination Range(mtr)	100	
CAMERA TYPE	Type of Camera Housing	DOME CAMERA	
	IP Camera	Yes	
	PTZ Camera	Yes	
OPTICS	Lens Type	Varifocal	
	Focal Length(mm)	6 - 22, 6-22	
	Iris Control	Yes	
	Focus Mode	Auto, Zooming	
VIDEO	Frame Rate (fps)	25, 30, 50, 60	
	Video Compression	H.264, H.265+, MJPEG, MPEG4	
	Video Streaming	Dual compressed stream	
PAN / TILT / ZOOM	Pan Speed (deg/sec)	240	
	Tilt Range below horizontal (deg)	0-90	
	Tilt Range above horizontal (deg)	0-5	
	Tilt Speed (deg/sec)	90	
	Optical Zoom	30X	
	Digital Zoom	16X	
AUDIO	Audio Support	Yes	
	Audio Compression	G.726, G.722.1, G.711, A-Law, U-Law, MP2L2, AAC	
	Audio Streaming	Two-Way	
	Number of Audio Input Channel	1	
	Number of Audio Output Channel	1	
	External Microphone Support	Yes	
ALARM	Alarm Support	Yes	
	Number of Alarm Digital Input	2	
	Number of Alarm Relay Output	2	
	Pre/Post Alarm Buffer	Yes	
SECURITY	IP Address Filtering	Yes	

Specification	Specification Name	Bid Requirement (Allowed Values)
PERFORMANCE	Minimum Illumination for Capturing Color Image	0.6, 0.5, 0.2, 0.1, 0.05, 0.01, 0.005, 0.008, 0.002, 0.001, 0.03, 0.02, 0.011 Or lower
	Electronic Shutter Speed(sec)	1/25 to 1/50000
	WDR (Wide Dynamic Range)	80 dB
	SNR (Signal to Noise Ratio)	60-70
	Auto Exposure	Auto Level Control, Electronic Level Control
FEATURES	ONVIF Support	Yes
	Privacy Zones	20
NETWORK AND INTERFACE	Supported Protocols	UDP, SNMP, IGMP, DHCP, RTP, RSTP, HTTP, SMTP, FTP, ICMP, HTTPS, DNS, DDNS, RTSP, RTCP, NTP, UPnP, QoS, TCP/IP
	IP Support	Static, Dynamic
STORAGE	On Board SD Card Support	Yes
	SD Card Memory(GB)	128
HOUSING	Installation Type	Indoor, Outdoor
	Material of the Housing construction	Alluminium
	Protection	IP 66
	Vandal Resistant Housing	Yes
	Mounting bracket	Pole Mounted
POWER SUPPLY	Power Input	24 V DC, 12 V DC, PoE
OPERATING CONDITIONS	Operating Temperature Range	-20 to +50 deg C
WARRANTY /	Warranty	3, 4, 5 Or higher
SERVICES	Time for Replacement of Defective Product During Warranty Period	12, 24 Or lower
	Supply of Compatible drivers and software included	Yes
ENVIRONMENTAL / CERTIFICATION	Availability of facility & infrastructure for verification of all parameters, features, and capability with Seller	Yes
	Availability of facility to test signal to noise ratio of camera at 0-01 lux	Yes
	Conformity to Dry Heat test at 55 degree C for 16 hours as per IS :9000 latest	Yes

Specification	Specification Name	Bid Requirement (Allowed Values)
	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest	Yes
	Conformity to Cold test at -10 / -20 degree C for 4 hours as per IS: 9000 latest, as applicable	Yes
	BIS Registration for safety general requirements as per IS 13252 (Part 1):latest	Yes
	Availability of Type Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	Yes
	Certification	FCC, CE, UL

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Archana Anant Dharmadhikari	411004,Law College Road	4	15

Camera For CCTV System (112 pieces)

(Minimum 0% Local content required for MII compliance)

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)
IMAGE SENSOR	Image Sensor Type	CMOS
	Image Sensor Size	1, 0.67, 0.5, 0.37, 0.4, 0.555, 0.526, 0.588, 0.544 Or higher
	Camera Image Sensing capacity (Picture Mode)	5MP
	Resolution	HD (1280 x 720 Pixel), 1080P (1920 x 1080), 720P (1280 x 720), 1280x 960, 800x 600, 2688x 1520, 2048x 1536, 640x 360, 640x 480
	Day/Night Capable	Yes
	IR illumination Range(mtr)	30

Specification	Specification Name	Bid Requirement (Allowed Values)	
CAMERA TYPE	Type of Camera Housing	DOME CAMERA	
	IP Camera	Yes	
	PTZ Camera	No	
OPTICS	Lens Type	Varifocal	
	Focal Length(mm)	2.8 - 12	
	Iris Control	Yes	
	Focus Mode	Auto	
VIDEO	Frame Rate (fps)	30	
	Video Compression	H.264, H.265+, MJPEG	
	Video Streaming	Triple compressed stream	
PAN / TILT / ZOOM	Pan Speed (deg/sec)	NA	
	Tilt Range below horizontal (deg)	NA	
	Tilt Range above horizontal (deg)	NA	
	Tilt Speed (deg/sec)	NA	
	Optical Zoom	NA	
	Digital Zoom	NA	
AUDIO	Audio Support	Yes, No	
	Audio Compression	NA	
	Audio Streaming	NA	
Number of Audio Input Ch		NA	
	Number of Audio Output Channel	NA	
ALARM	Alarm Support	Yes, No	
	Number of Alarm Digital Input	NA	
	Number of Alarm Relay Output	NA	
SECURITY	IP Address Filtering	Yes	
PERFORMANCE	Minimum Illumination for Capturing Color Image	0.01, 0.005, 0.008, 0.002, 0.001, 0.03, 0.02, 0.011 O lower	
	Electronic Shutter Speed(sec)	1 to 1/30,000	
	WDR (Wide Dynamic Range)	120 dB	
	SNR (Signal to Noise Ratio)	50-60	
	Auto Exposure	Auto Level Control	
FEATURES	ONVIF Support	(Profile S and G)	
	Privacy Zones	4	

Specification	Specification Name	Bid Requirement (Allowed Values)
NETWORK AND INTERFACE	Supported Protocols	UDP, SNMP, IGMP, DHCP, RTP, RSTP, HTTP, SMTP, ICMP, HTTPS, DNS, DDNS, RTSP, RTCP, NTP, UPnP, QoS, TCP/IP, PPPoE, 802.1X, IPv4, IPv6, IEEE 802.1x, SSH
	IP Support	Dynamic
STORAGE	On Board SD Card Support	Yes
	SD Card Memory(GB)	128
HOUSING	Installation Type	Indoor, Outdoor
	Material of the Housing construction	Alluminium
	Protection	IP 66
	Vandal Resistant Housing	Yes
	Mounting bracket	Wall Mounted
POWER SUPPLY	Power Input	12 V DC, PoE
OPERATING CONDITIONS	Operating Temperature Range	-10 to +60 deg C
WARRANTY /	Warranty	3, 4, 5 Or higher
SERVICES	Time for Replacement of Defective Product During Warranty Period	12, 24, 36, 48, 72 Or lower
	Supply of Compatible drivers and software included	Yes
ENVIRONMENTAL / CERTIFICATION	Availability of facility & infrastructure for verification of all parameters, features, and capability with Seller	Yes
	Availability of facility to test signal to noise ratio of camera at 0-01 lux	Yes
	Conformity to Dry Heat test at 55 degree C for 16 hours as per IS :9000 latest	Yes
	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest	Yes
	Conformity to Cold test at -10 / -20 degree C for 4 hours as per IS: 9000 latest, as applicable	Yes
	BIS Registration for safety general requirements as per IS 13252 (Part 1):latest	Yes
	Certification	FCC, UL, BIS, 62368-1, EN55032 Class A, EN50130-4, EN60950-1, UL60950-1

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Archana Anant Dharmadhikari	411004,Law College Road	112	15

Line Intractive UPS With AVR (20 pieces)

(Minimum 0% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Rating in KVA/ min VAH capacity of battery (KVA/VAH)	1.0/216
	Technology	MOSFET-PWM
	Type of battery	SMF-VRLA confirming to JISC-8702 Pt 1,2 &3
	Rated Output (Volt)	Single phase sinewave 230v AC , 50Hz
	Degree of protection	IP 20
	Inverter Efficiency (%)	> / = 90%
	Warranty for the battery from the date of delivery	3 Years
	Warranty for Line Interactive UPS	3 Years
	Installation and commissioning instructions	No
CONSTRUCTIONAL	Type of enclosure	Mild steel
	AC out put for printer (not through inverter)	Yes
	Inverter out put socket AC out put for printer (not through inverter)	4 Three pin
FUNCTIONAL	Input (Volt)	Single phase sinewave(160-280v)
	Overload Time (Minutes)	> / = 10 minutes
	Load power factor	> / = 0.8

Specification	Specification Name	Bid Requirement (Allowed Values)	
	Variation in AVR output in AC mode (%) AVR (Voltage regulation) output voltage in AC Mode	230 Volts +/-15%, 50 +/-3 Hz	
REPORTS AND CERTIFICATIONS	As per Meity (Government of India) guidelines UPS shall have valid BIS CRS certifications as applicable	Yes	

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Archana Anant Dharmadhikari	411004,Law College Road	20	15

Professional Large Format Display (3 pieces)

(Minimum 0% Local content required for MII compliance)

Negistered Brand	Brand Type	Registered Brand
------------------	------------	------------------

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)
Ungrouped	Technology	LED Backlit
	Screen Size (Diagonal) Minimum (cm)	138, 164, 175, 189, 216, 247, 152, 203, 228, 304, 254, 139 Or higher
	Screen Type	Non Touch
	Panel Technology	Vertical Alignment (VA)
	Orientation	Landscape
	Native Resolution (Pixels)	3840 x 2160 (UHD)
	Aspect Ratio	16:9
	Brightness (Nits) Minimum	300, 350, 400, 450, 500, 600, 700, 1000, 1500, 2500, 3000, 4000, 550 Or higher
	Native Contrast Ratio (Minimum)	40001
	Arrangement of Speakers	Inbuilt
	RS 232C Port	Available
	RJ 45	Available

Specification	Specification Name	Bid Requirement (Allowed Values)
	In built Sinage Software	Not Available
	Duty Cycle	16 x 7
	BIS Registration under CRS of Meity	Yes
	ROHS Compliance	Yes
	On Site OEM Warranty (Year)	3

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Archana Anant Dharmadhikari	411004,Law College Road	3	15

Small Form-factor Pluggable Transceiver (18 pieces)

(Minimum 0% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)
Specification	Type of Transceiver	SFP+
	SFP Mode	Single
	Compatability with OEMs Products	allasieeestandard
	Wavelength(nm)	1310
	Fibre Cable Type	singlemode
	Core Size (Micron)	9
	Maximum Data Rate	1000
	Modal Bandwidth (MHz/Km)	10
	Max.Cable Distance	10000
	Optical Component (nm)	1310
	Digital Optical Monitoring (DOM) Support	Yes
	Interface	Ic

Specification	Specification Name	Bid Requirement (Allowed Values)
	Tx Power (dBm)	-9.5
	Receiver Sensitivity (dBm)	-19
	On Site OEM Warranty (Year)	3

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Archana Anant Dharmadhikari	411004,Law College Road	18	15

Layer 2 Access Switch (9 pieces)

(Minimum 0% Local content required for MII compliance)

Brand Type	Registered Brand
	4

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)
Specification	Type of Switch	Managed
	Technology	Non PoE
	Number of 1G Copper Ports	24
	Number of 10G Copper Ports	0
	No. of 1 G SFP Port (Uplink)	2
	No. of 10 G SFP+ Port (Uplink)	0
	Multi-Gigabit Support	No
	Redundant Power supply (from day one)	Not available
	Switching Capacity -Non Blocking (Gbps)	52
	Throughput (MPPS)	More than 38.68 Or higher
	Dedicated Stacking Port/Slot (from day one)	Not available
	Stacking Bandwidth (Gbps)	More than 0.0 Or higher
	PoE Power Budget (Watt)	0

Specification	Specification Name	Bid Requirement (Allowed Values)	
	on Site OEM Warranty	5	

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Archana Anant Dharmadhikari	411004,Law College Road	9	15

Layer 2 Access Switch (1 pieces)

(Minimum 0% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)
Specification	Type of Switch	Managed
	Technology	PoE+
	Number of 1G Copper Ports	24
	Number of 10G Copper Ports	0
	No. of 1 G SFP Port (Uplink)	4
	No. of 10 G SFP+ Port (Uplink)	0
	Multi-Gigabit Support	Yes
	Redundant Power supply (from day one)	Not available
	Switching Capacity -Non Blocking (Gbps)	56
	Throughput (MPPS)	More than 41.7 Or higher
	Dedicated Stacking Port/Slot (from day one)	Not available
	Stacking Bandwidth (Gbps)	More than 0.0 Or higher
	PoE Power Budget (Watt)	190
	on Site OEM Warranty	5

	S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1		Archana Anant Dharmadhikari	411004,Law College Road	1	15

Layer 2 Access Switch (3 pieces)

(Minimum 0% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
Specification	Type of Switch	Managed
	Technology	Non PoE
	Number of 1G Copper Ports	16
	Number of 10G Copper Ports	0
	No. of 1 G SFP Port (Uplink)	2
	No. of 10 G SFP+ Port (Uplink)	0
	Multi-Gigabit Support	No
	Redundant Power supply (from day one)	Not available
	Switching Capacity -Non Blocking (Gbps)	36
	Throughput (MPPS)	More than 26.74 Or higher
	Dedicated Stacking Port/Slot (from day one)	Not available
	Stacking Bandwidth (Gbps)	More than 0.0 Or higher
	PoE Power Budget (Watt)	0
	on Site OEM Warranty	5

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Archana Anant Dharmadhikari	411004,Law College Road	3	15

Layer 2 Access Switch (4 pieces)

(Minimum 0% Local content required for MII compliance)

Brand Type	Registered Brand
1 21	

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
Specification	Type of Switch	Managed
	Technology	PoE+
	Number of 1G Copper Ports	8
	Number of 10G Copper Ports	0
	No. of 1 G SFP Port (Uplink)	2
	No. of 10 G SFP+ Port (Uplink)	0
	Multi-Gigabit Support	No
	Redundant Power supply (from day one)	Not available
	Switching Capacity -Non Blocking (Gbps)	20
	Throughput (MPPS)	More than 14.9 Or higher
	Dedicated Stacking Port/Slot (from day one)	Not available
	Stacking Bandwidth (Gbps)	More than 0.0 Or higher
	PoE Power Budget (Watt)	55
	on Site OEM Warranty	5

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Archana Anant Dharmadhikari	411004,Law College Road	4	15

Hard Disk Drives (26 pieces)

(Minimum 0% Local content required for MII compliance)

Brand Type	Registered Brand	
------------	------------------	--

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
Specification	Capacity of Drive (GB)	8000
	Type of Drive	SAS
	Interface Type	SATA
	Performance (Sequential write) (Mb/p)	138
	Warranty (Years)	3

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Archana Anant Dharmadhikari	411004,Law College Road	26	15

Cables Suitable For CCTV System (Accessories) (3500 meter)

(Minimum 0% Local content required for MII compliance)

Brand Type	Registered Brand	
1	1 -3	

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
Cables suitable for	Cable Classification	12 Core Single Mode Fibre Optic cable
CCTV System (Accessories)	Armoured	Yes

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Archana Anant Dharmadhikari	411004,Law College Road	3500	15

CAT 6 Cable For Outdoor (8400 meter)

(Minimum 0% Local content required for MII compliance)

Brand Type Registered Brand

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
CONSTRUCTIONAL	Inner jacket material	LSZH
	Storage temperature range	-20 deg.C to +70 deg. C
	Operating temperature range	-20 deg.C to +70 deg. C
Generic	Cable category	CAT6 UTP - Outer Jacket HDPE with UV resistant
	Conductor diameter	0.57 mm (23 AWG)
	Length of cable in a bundle (Mtrs)	305 mtrs
CERTIFICATIONS	UL Marking on Cable	No

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Archana Anant Dharmadhikari	411004,Law College Road	8400	15

Power Cable For Direct Burial XIpe Ugac Cable For DMRC (500 meter)

(Minimum 0% Local content required for MII compliance)

Brand Ty	pe	Unbranded
		I

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)
Technical features	Cable Size(sq-mm)	10

Specification	Specification Name	Bid Requirement (Allowed Values)
Performance	Voltage grade (Uo/U)	33.0
parameter	Minimum short circuit current (Kilo ampere) for conductor for 3 second	14
	Minimum short circuit current (Kilo ampere) for metallic screen for 3 second	14 kA
Constructions	Self life	30.0
	Insulation envelop screen thickness	NA
	Conductor material	Aluminium
	Armour type	Double layer of Aluminium Tape
	Special Features	Fire retardant low smoke zero halogen
Standards	Conformity to specification	IEC 60228

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Archana Anant Dharmadhikari	411004,Law College Road	500	15

Networking/Server Rack (12 pieces)

(Minimum 0% Local content required for MII compliance)

	T I
Brand Type	Registered Brand

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)
Specifications Type of Server Racks		Rack Enclosures
	Size of Server Rack Enclosure	6U
	Depth of the Rack (mm)	Upto 600
	Front glass Door	Yes
	Warranty (Years)	1

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Archana Anant Dharmadhikari	411004,Law College Road	12	15

Networking/Server Rack (1 pieces)

(Minimum 0% Local content required for MII compliance)

Brand Type	Registered Brand
Brana Type	The globel ed Brund

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
Specifications	Type of Server Racks	Rack Enclosures
	Size of Server Rack Enclosure	18U
	Depth of the Rack (mm)	Upto 1000
	Front glass Door	Yes
	Warranty (Years)	1

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Archana Anant Dharmadhikari	411004,Law College Road	1	15

Fiber Optic Patch Panels, Rack Mountable (17 pieces)

(Minimum 0% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Type of Connector for which optic fiber panel is compatible	LC
	Fiber Optic Panels Compatible for	Single Mode, Duplex
	No. of ports (in Nos.)	12

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Archana Anant Dharmadhikari	411004,Law College Road	17	15

Fiber Optic Patch Panels, Rack Mountable (1 pieces)

(Minimum 0% Local content required for MII compliance)

Brand Type	Registered Brand	
------------	------------------	--

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC Type of Connector for which optic fiber panel is compatible		SC
	Fiber Optic Panels Compatible for	Single Mode, Duplex
	No. of ports (in Nos.)	24

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Archana Anant Dharmadhikari	411004,Law College Road	1	15

PLB-HDPE Duct For UG Armoured Optical Fibre Cable (3500 meter)

(Minimum 0% Local content required for MII compliance)

Bra	and Type	Unbranded	

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Colour of the duct	Bright green
	Outside diameter	"40.0 mm (Tolerance + 0.4 mm - 0.0 mm)
	Wall thickness	3.50 mm (Tolerance + 0.20 mm)
	Additioanl quantity of end plug for each coil	2
	Additioanl quantity of cable sealing plug for each coil	2
	Additioanl quantity of end cap for each coil	2
	Additional quantity of Duct cutter for each lot lot	1
	Additional quantity of C spanner for each lot lot	1
	Additional quantity of chamferring tool for each lot lot	1
	Optional: Pre-installed rope for the above standard length duct	"polypropylene, 4 mm in diameter and conform to IS: 5175, with a minimum slackness of 2%.
CERTIFICATION	Availability of Test Report from Central Govt. LAB / NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification	Yes
	Test reports to be furnished to buyer on demand, if claimed to be available Hint- Not applicable if Test Repot is not available	Yes

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Archana Anant Dharmadhikari	411004,Law College Road	3500	15

CAT 6 Patch Panel (1 pieces)

(Minimum 0% Local content required for MII compliance)

Brand Type	Unbranded	
------------	-----------	--

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
CONSTRUCTIONAL	Material of patch panel	Cold rolled steel
	Modular plug fitting (RJ 45)	Individual ports for unloaded
	Dust protection for information outlet	Yes
GENERIC	Patch panel suitability for (Category 6 Unshielded/Unshielded twisted pair or Category 6 Foiled/Unshileded twisted pair)	CAT 6 U/UTP
	Height of patch panel	2 U
	No. of ports (RJ 45)	24 Ports Loaded
	Cable Management (Rear side)	With out

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1 1	Archana Anant Dharmadhikari	411004,Law College Road	1	15

Cat 6 Patch Cord (207 meter)

(Minimum 0% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Specification Name	Bid Requirement (Allowed Values)
----------------------------------	----------------------------------

Specification	Specification Name	Bid Requirement (Allowed Values)	
GENERIC	Patch cord type : Category 6 Unshielded/Unshielded twisted pair or Category 6 Foiled/Unshileded twisted pair	CAT6 U/UTP	
	Patch cord colour	Blue	
	Length of Patch cord (Mtrs)	1.0	
CONSTRUCTIONAL	Termination type / Connection type	Insulation Piercing Connection (IPC)	
	Cable jacket material	Low Smoke zero halogen (LSZH)	
	Storage temperature range	-20 deg.C to +70 deg.C	
	Operating temperature range	-20 deg.C to +70 deg.C	
CERTIFICATIONS	UL Marking on Cable	No	

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Archana Anant Dharmadhikari	411004,Law College Road	207	15

Laying & Installation Charges For Cables (with Or Without Conduit) Suitable For CCTV System(Accessor (3500 meter)

(Minimum 0% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)
Laying & Installation Charges for Cables (with or without	Suitable Conduit Pipe	Without
	Conduit material	HDPE Pipe
conduit) Suitable for CCTV	Laying location	Under Ground
System(Accessories)	Depth of laying in case of under ground laying	90.0
	Number of Cables to be laid	Single Cable of any type

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Archana Anant Dharmadhikari	411004,Law College Road	3500	15

Steel Tubes For Structural Purposes-IS:1161 (4 meter)

(Minimum 0% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
ITEM	Class of Tube	Medium
	Construction	Round
SPECIFICATION	Conformity to specification	IS 1161:latest
	ISI Marked	Yes
MANUFACTURING	Manufacturing process	Electric resistance welded(ERW) or High frequency induction welded(HRIW)
DIMENSION	Nominal Bore for Round tube(mm)	65
	Length (in metre)	6

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
	Archana Anant Dharmadhikari	411004,Law College Road	4	15

Desktop Computers (1 pieces)

(Minimum 0% Local content required for MII compliance)

Brand Type	Registered Brand

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)	
Motherboard	Chipset Series	Intel H Series, Intel B Series, Intel Q Series Or higher	
	Chipset Number	Intel Q 250, Intel Q 270, Intel Q 370, Intel B 365 Or higher	
	Expansion Slots (PCIe x 16) (Number)	1, 2, 3 Or higher	
Processor	Processor Make	Intel	
	Processor Generation	9.0 Or higher	
	Number of Cores per Processor	6, 8, 10, 12 Or higher	
	Processor Base Frequency (GHz)	3, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4, 4.1, 4.2, 4.3 Or higher	
	Processor Description	Intel Core i5, Intel Core i7, Intel Core i9 Or higher	
	Processor Number	Intel Core i5 8600, Intel Core i5 8600K, Intel Core i7 8700T, Intel Core i7 7700K, Intel Core i7 8700, Intel Core i7 8700K, Intel Core i5 9500, Intel Core i5 9600, Intel Core i7 9700, Intel Core i9 9900, Intel Core i7 9700K, Intel Core i9 9900K, Intel Core i9 9900KS, Intel Core i9 9900KF, Intel Core i7 9700KF, Intel Core i7 9700F, Intel Core i7 8086K, Intel Core i5 9600K, Intel Core i5 9600KF Or higher	
	Out of Band Management	Intel vPro, AMD DASH, NA Or higher	
	Cache (MB)	9.0 - 96.0 Or higher	
Graphics	Graphics Type	Integrated	
	Size of Memory in Case of Dedicated Graphic Card (GB)	0, 1, 2, 3, 4, 6, 8 Or higher	
Operating System	Operating System (Factory Pre-Loaded)	Windows 10 Professional	
Memory	RAM Size (GB)	8, 16, 32, 64, 128 Or higher	
	RAM Expandability up to(using spare DIMM Slots in GB)	64, 128 Or higher	
Storage	Type of Drives used to populate the Internal Bays	HDD	
	Total HDD Capacity (GB)	1000, 1500, 2000, 2500, 3000, 4000 Or higher	
	Total SSD Capacity (GB)	128, 256, 384, 512, 768, 0, 1024, 2048, 4096 Or higher	
	Total SSHD Capacity in addition to 8 GB Flash (GB)	500, 1000, 2000, 0 Or higher	
	Optane Memory (GB)	8, 16, 32, 0, 64 Or higher	
Cabinet	Cabinet Form Factor	SFF (7 to 13 Litres)	
	Optical Drive	DVD R/W	
Monitor	Monitor Technology	IPS Or higher	

Specification	Specification Name	Bid Requirement (Allowed Values)	
	LED Backlit Monitor Size (INCHES)	19.5, 21.5, 22, 23, 24, 27, 20, 23.8, 32 Or higher	
	Monitor Resolution (PIXELS)	1440 x 900, 1600 x 900, 1920x1080, 1920 x 1200, 3200x1800, 3840 x 2160, 1280 x 1024, 2560 x 1440 Or higher	
	If Yes, Resolution of Webcam	HD, FHD, NA Or higher	
	If Yes, Number of Speakers available	0, 1, 2 Or higher	
Input Devices	Mouse Connectivity	Wired, Wireless Or higher	
	Keyboard Connectivity	Wired, Wireless Or higher	
Warranty	On Site OEM Warranty (Year)	3, 5, 4 Or higher	

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Archana Anant Dharmadhikari	411004,Law College Road	1	15

Installation & Commissioning Charges For CCTV Cameras (Accessories) (203 pieces)

(Minimum 0% Local content required for MII compliance)

Brand Type	Registered Brand
· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
Installation &	Type of Camera	IP Camera
Commissioning charges for CCTV	Shape of Camera Housing	Bullet
(Accessories)	Installation Type	Assorted
	Type of Mounting	Wall Mounted
	Number of Cameras to be installed	Upto 10

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Archana Anant Dharmadhikari	411004,Law College Road	203	15

Camera For CCTV System (87 pieces)

(Minimum 0% Local content required for MII compliance)

Brand Type	Brand Type	Registered Brand
------------	------------	------------------

Technical Specifications

Specification	Specification Name	Bid Requirement (Allowed Values)	
IMAGE SENSOR Image Sensor Type		CMOS	
	Image Sensor Size	1, 0.67, 0.5, 0.37, 0.4, 0.555, 0.526, 0.588, 0.544 Or higher	
	Camera Image Sensing capacity (Picture Mode)	5MP	
	Resolution	5MP(2592×1944)	
	Day/Night Capable	Yes	
	IR illumination Range(mtr)	50	
CAMERA TYPE	Type of Camera Housing	BULLET CAMERA	
	IP Camera	Yes	
	PTZ Camera	No	
OPTICS	Lens Type	Varifocal	
	Focal Length(mm)	2.8 - 12, 2.8	
	Iris Control	Yes	
	Focus Mode	Auto	
VIDEO	Frame Rate (fps)	30	
	Video Compression	H.264, H.265+, MJPEG	
	Video Streaming	Triple compressed stream	
PAN / TILT / ZOOM	Pan Speed (deg/sec)	NA	
	Tilt Range below horizontal (deg)	NA	
	Tilt Range above horizontal (deg)	NA	
	Tilt Speed (deg/sec)	NA	
	Optical Zoom	NA	
	Digital Zoom	NA	
AUDIO	Audio Support	Yes, No	

Specification	Specification Name	Bid Requirement (Allowed Values)	
Audio Compression		NA	
	Audio Streaming	NA	
	Number of Audio Input Channel	NA	
	Number of Audio Output Channel	NA	
ALARM	Alarm Support	Yes, No	
Number of Alarm Digital Input		NA	
	Number of Alarm Relay Output	NA	
SECURITY	IP Address Filtering	Yes	
PERFORMANCE	Minimum Illumination for Capturing Color Image	0.01, 0.005, 0.008, 0.002, 0.001, 0.03, 0.02, 0.011 Or lower	
	Electronic Shutter Speed(sec)	1 to 1/30,000	
	WDR (Wide Dynamic Range)	120 dB	
	SNR (Signal to Noise Ratio)	50-60	
	Auto Exposure	Auto Level Control	
FEATURES	ONVIF Support	(Profile S and G)	
	Privacy Zones	4	
NETWORK AND INTERFACE	Supported Protocols	UDP, SNMP, IGMP, DHCP, RTP, RSTP, HTTP, SMTP, FTP, ICMP, HTTPS, DNS, DDNS, RTSP, RTCP, NTP, UPnP, QoS, TCP/IP, PPPoE, Multicast, 802.1X, IPv4, IPv6, ARP, PEAP, SSH, CIFS	
	IP Support	Dynamic	
STORAGE	On Board SD Card Support	Yes	
	SD Card Memory(GB)	256	
HOUSING	Installation Type	Indoor, Outdoor	
	Material of the Housing construction	Alluminium	
	Protection	IP 66	
	Vandal Resistant Housing	Yes	
	Mounting bracket	Wall Mounted	
POWER SUPPLY	Power Input	12 V DC, PoE	
OPERATING CONDITIONS	Operating Temperature Range	- 30 to +60 deg C	
WARRANTY /	Warranty	3, 4, 5 Or higher	
SERVICES	Time for Replacement of Defective Product During Warranty Period	12, 24, 36, 48, 72 Or lower	
	Supply of Compatible drivers and software included	Yes	

Specification	Specification Name	Bid Requirement (Allowed Values)
ENVIRONMENTAL / CERTIFICATION	Availability of facility & infrastructure for verification of all parameters, features, and capability with Seller	Yes
	Availability of facility to test signal to noise ratio of camera at 0-01 lux	Yes
	Conformity to Dry Heat test at 55 degree C for 16 hours as per IS :9000 latest	Yes
	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest	Yes
	Conformity to Cold test at -10 / -20 degree C for 4 hours as per IS: 9000 latest, as applicable	Yes
	BIS Registration for safety general requirements as per IS 13252 (Part 1):latest	Yes
	Certification	FCC, UL, 62368-1, EN55032 Class A, EN50130-4, ICES-003/NMB-003 Class A

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Archana Anant Dharmadhikari	411004,Law College Road	87	15

Buyer added Bid Specific Additional Scope of Work

S.No.	Document Title	Description	Applicable i.r.o. Items
1	Additional Scope of Work <u>View</u>	The scope of work includes Installation, digging 2 feet Soil (Hard + Soil), Cable route to marked at appropriately distance, Laying of OFC & HDPE and site preparation of the above items and ancillaries in an Integrated Surveillance System at Master Control Room At Two Different Locations	Camera For CCTV System(112)

The uploaded document only contains Buyer specific Additional Scope of Work and / or Drawings for the bid items added with due approval of Buyer's competent authority. Buyer has certified that these additional scope and drawings are generalized and would not lead to any restrictive bidding.

Special terms and conditions-Version:1 effective from 08-04-2021 for category Line Intractive UPS with AVR

1.

Special terms and conditions-Version:1 effective from 09-04-2021 for category Small form-factor pluggable transceiver

1.

Special terms and conditions-Version:1 effective from 16-04-2021 for category Networking/Server Rack

1.

Special terms and conditions-Version:1 effective from 04-05-2020 for category Laying & Installation Charges for Cables (with or without conduit) Suitable for CCTV System(Accessor

- 1. In addition to General Terms and Conditions of the GeM following Special T&C shall be applicable for Laying & Installation charges for Cables (with or without conduit) suitable for CCTV System:
 - 1. Inclusive in the Scope of laying & installation:
 - 1. Supply of Conduit and Laying of Conduit with necessary fittings such as bends, joints, reducers, Tees etc., wherever required.
 - 2. All necessary accessories such as conduit pipe fittings, mounting clips etc., for proper laying and installation of Conduit, wherever required.
 - 3. Supply of suitable Connectors required for connecting the cable with Camera / DVR / NVR / HVR / SFP module / PoE Switch etc.
 - 4. Proper dressing of Cable ends, Pre-forming of connecting cables (end termination) and Fixing suitable connectors.
 - 5. Digging of trench for underground laying and properly closing the trench after completion of laying work, wherever required.
 - 6. The trench for underground laying, wherever applicable, may be upto 30 cm (1 foot) wide and depth as specified in the contract. seller may use horizontal boring machine if required.
 - 7. Cutting / Chiselling of grooves in the walls for concealed laying in walls and Cementing & finishing of the grooved portion after completion of laying work, wherever required.
 - 2. Not inclusive in the Scope of laying & installation:
 - 1. Obtaining necessary approvals / permissions from the concerned Authorities, if any, for Digging trenches, Cutting / Chiselling of grooves in the walls, wherever required.
 - 3. Buyer's obligations:
 - 1. Obtaining necessary approvals / permissions from the concerned Authorities, if any, for Digging trenches, Cutting / Chiselling of grooves in the walls, wherever required.
 - 2. Buyer / Consignee shall provide power point for drilling holes, cutting grooves, etc., for indoor laying & installation of cables.

Special terms and conditions-Version:2 effective from 09-04-2021 for category Desktop Computers

 'Local content means the amount of value added in India which shall, unless otherwise Prescribed by the Nodal Ministry, be the total value of the item procured (excluding net domestic indirect taxes) minus the value of imported content in the item (including all customs duties) as a proportion of the total value and percent.

'Class-I local supplier' means a supplier or service provider, whose goods, services or works offered for procurement, has local content equal to or more than 50% as defined under this Order

'Class-II local supplier' means a supplier or service provider, whose goods, services or works offered for procurement, has local content more than 20% but less than 50%, as defined under this Order

Special terms and conditions-Version:1 effective from 04-05-2020 for category Installation & Commissioning charges for CCTV Cameras (Accessories)

- 1. In addition to General Terms and Conditions of the GeM following Special T&C shall be applicable for Installation & Commissioning charges for CCTV Cameras:
 - 1. Inclusive in the Scope of installation and Commissioning:
 - 1. Fixing of Camera Mount / Stand at designated place for the camera, i. e., on Wall / Ceiling / Pole.

- 2. Fixing of Camera on Mount / Stand.
- 3. All necessary accessories for fixing of Mount/ Stand.
- 4. Connection and integrating the Cameras with power supply / CCTV Controller / NVR / DVR / HVR.
- 2. Not inclusive in the Scope of installation and Commissioning:
 - 1. Obtaining necessary approvals / permissions from the concerned Authorities, if any, for installation & Commissioning of CCTV Cameras.
- 3. Buyer's obligations:
 - 1. Obtaining necessary approvals / permissions from the concerned Authorities, if any, for installation & Commissioning of CCTV Cameras.
 - 2. Buyer / Consignee shall provide power points, wherever necessary.

Buyer Added Bid Specific Additional Terms and Conditions

- 1. **Scope of supply (Bid price to include all cost components) :** Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)
- 2. Office of the Service Provider (through Bid)IS prefered to be located at a place near to the Buyers /consignee headquater or any branch or registered office for sake of better co-ordination, smooth services and other administrative factors.

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

This Bid is also governed by the General Terms and Conditions

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---